

製備場所：成分課

測試月份：110 年 07 月

Components		Test	No of tested /No of prepared	Test Result		Target Value
				Mean	SD	
紅 血 球 類	Packed RBCs	Hct	12/209	66	7.2	55-80% w/o SAGM
			0/NA	0	0	50-70% w. SAGM
	Leukocyte Reduced RBCs	leukocyte count ( $\times 10^6$ /unit)	31/26,113	0.056	0.014	$< 5 \times 10^6$ /unit
血 小 板 類	Platelet Concentrate	platelet count ( $\times 10^{10}$ /unit)	NA	NA	NA	$\geq 2.75 \times 10^{10}$ /unit
		pH	NA	NA	NA	$\geq 6.2$
	Apheresis Platelets	platelet count ( $\times 10^{11}$ /unit)	4/210	3.2	0.23	$\geq 3.0 \times 10^{11}$ /unit
		pH	4/210	7.6	0.068	$\geq 6.2$
	Leukocyte Reduced Apheresis Platelets	leukocyte count ( $\times 10^6$ /unit)	22/2,886	0.098	0.027	$< 5 \times 10^6$ /unit
		platelet count ( $\times 10^{11}$ /unit)	22/2,886	3.2	0.17	$\geq 3.0 \times 10^{11}$ /unit
pH		22/2,886	7.6	0.051	$\geq 6.2$	
血 漿 類	FFP	Factor VIII	30/21,405	109	25	$\geq 70\%$
		RBC count ( $\times 10^9$ /L)	30/21,405	0	0	$< 6.0 \times 10^9$ /L
		leukocyte count ( $\times 10^9$ /L)	30/21,405	0.02	0.015	$< 0.1 \times 10^9$ /L
		platelet count ( $\times 10^9$ /L)	30/21,405	3.2	2.8	$< 50 \times 10^9$ /L
	Cryo	factor VIII	12/3,520	81	1.2	$\geq 40$ IU /unit
		fibrinogen	12/3,520	180	18	$\geq 75$ mg /unit

- 1.NA:本月無執行血液成品 QC 測試。
- 2.Factor VIII、Fibrinogen 測試頻率為每 2 個月執行。
- 3.本月無製作 Platelet Concentrate。

表 QP-BB-032-6.7-001